

Gas Burning

Fireplace Inserts





From our family to yours

With over 30 years in the hearth industry, we are able to offer you a wide range of products, all proudly carrying the President's Limited Lifetime Warranty. The years of experience, care and quality results in the creation of hearth products that possess a timeless and enduring style, worthy of a place in your home.

As the largest, family owned hearth products and gas grill manufacturer in North America, we invite you to experience the complete family line-up of Napoleon® wood, pellet, gas, electric and oil burning fireplaces, inserts and stoves. Our products are available for viewing at an authorized Napoleon® dealer nearest you or online at www.napoleonfireplaces.com.

WHY NAPOLEON®?



Making your life easier...

Napoleon® fireplace inserts are designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon® gas insert, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

An investment you can count on...

Your new Napoleon® fireplace insert adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source. Nothing to lose and everything to gain.

Create your personal design statement...

Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. Thousands of designer options are available to create the exact statement you have been looking for.

Highest efficiencies, maximum comfort...

Years of research, design and testing have enhanced optimum performance allowing Napoleon® products to achieve some of the highest heater rating efficiencies on the market. Napoleon® continuously surpasses industry standards not only in appearance but in efficiency and performance.

Beautiful fires, best flame in the industry...

With advanced burner technology and innovative design, Napoleon's flame and exclusive PHAZER® log sets are so realistic it's hard to tell the difference from a real wood burning fire.

Authorized dealer support network...

With over 3,000 reputable authorized dealers across North America and Europe, Napoleon® provides professional and consistent training and technical support to ensure your fireplace insert is installed by a certified, reputable installation technician.

Outstanding Reliable Warranty...

Each and every Napoleon® fireplace insert is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the solid performance you deserve. (Registered under the world recognized ISO 9001-2000)

Trim Selection...

Napoleon® offers a complete selection of cast iron surrounds as well as traditional painted and plated trim packages to complete and enhance your fireplace insert installation.



Wolf Steel Manufacturing



Napoleon Appliance Corp.



Wolf Steel Montreal



Wolf Steel USA



Made In North America



Wolf Steel Corporate Offices

Decorative Accessories

Louvers



Painted black
Upper and lower louvers



24 karat gold plated
Upper and lower louvers



Antique brass finish
Lower louvers only



Polished brass finish
Lower louvers only



Brushed stainless
steel finish
Lower louvers only

All finishes available
as lower louvers on bay
fronts as well.

Ornamental Insets



Heritage 24 karat
gold plated



Heritage painted
black finish

Deluxe Flashing Kits

Available in 6" and 9"



Polished
brass



Painted
black



Brushed
stainless steel



Porcelain
green



Porcelain
almond



Antique
brass



Porcelain
black



Bevelled
flashing in
textured black



Trim

Black

Decorative Panels



Sandstone
brick
panels



Black radiant
porcelain reflective
panels echo flames
throughout the
firebox

Cast Iron Surround



Painted Black



Porcelain
Majolica brown



Porcelain black



Painted black
decorative 1 piece

Andirons



24 karat
gold plated
and painted
black

Andirons available
only with bay front

Remote Control



Shown with new cast iron surround with a true artisan design and fully operating doors



Shown with fully operating doors, black flashing and outer trim



Shown with bay front & safety screen, 9" brushed stainless steel flashing and black trim



Shown with bay front, safety screen & painted black ornamental inset and Majolica brown cast iron surround

GDI30 - An Elegant Heater For Any Lifestyle

The GDI30 easily transforms your existing masonry or prefabricated fireplace into an efficient heating source, eliminating drafts and ultimately saving you money. The incredible, realistic dancing flames and elegant designer options turn your room into a tranquil getaway. The state-of-the-art pan burner system guarantees a wide range of heat output, exactly what you need for maximum comfort.



Model	BTU'S (Input)	Venting	Height		Front Width		Depth	
			Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GDI30	15,000 - 24,500	Direct	21 3/4"	21 3/4"	30 1/16"	28"	18 3/4"	18"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDI30	Ceramic	14"	28 1/2"	64.5%	82%	85%	Standard	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33



Shown with three sided aluminum extrusion and black flashing kit

GDIZC - Smallest Fireplace Opening, Large Viewing Area

This Vesta award winning fireplace insert is designed to fit the smallest fireplace openings but offers a large, 400 square inch, ceramic glass viewing area.



Model	BTU'S (Input)	Venting	Height		Front Width		Depth	
			Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GDIZC	14,000 - 24,000	Direct	24 1/8"	14 1/2"	36"	25"	15 1/4"	11"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDIZC	Ceramic	16"	28 1/2"	65.5%	79%	85%	Standard	Yes

Certified and tested as a heater & wall furnace to ANSI Z21.86, Z21.88 and CSA 2.32, CSA 2.33

Decorative Accessories

Trim Kits



3 sided aluminum extrusion

4 sided aluminum extrusion

Available in painted textured satin black finish, anodized polished black finish and anodized polished brass finish

Decorative Doors



Arched door

Webbed arched door

Available in 24 karat gold plated and painted black finish

Deluxe Flashing Kits

Available in 6" and 9"



Polished brass

Painted black

Brushed stainless steel



Porcelain green

Porcelain almond

Antique brass



Trim

Black

Porcelain black

Decorative Panels



Sandstone brick panels

Black radiant porcelain reflective panels echo flames throughout the firebox

Cast Iron Surround



Porcelain Majolica brown

Porcelain black

Painted black

Andirons



24 karat gold plated and painted black

Andirons available only with bay front

Remote Control



Decorative Accessories

ADVANCED
TECHNOLOGY
ENERGY
EFFICIENT

Trim Kits



4 sided
aluminum
extrusion



3 sided
aluminum
extrusion

Available in painted textured satin black finish, anodized polished black finish and anodized polished brass finish

Decorative Doors



Webbed
arched door



Arched door

Available in 24 karat gold plated and painted black finish



Hand crafted wrought iron door

Decorative Panels



Sandstone
brick
panels



Black radiant
porcelain reflective
panels echo flames
throughout the
firebox

Andirons



24 karat
gold plated
and painted
black

Andirons available
only with bay front

Remote Control



Shown with 3 sided black trim and wrought iron door

GDI44 - Picture Perfect

The GDI44 insert boasts an incredible 75% flame and heat adjustment (up to 40,000 BTU's down to 10,000 BTU's). More than any other unit! This is the perfect solution to improve your existing inefficient wood burning fireplace and at the same time, offering a huge viewing area to enjoy the beautiful, mesmerizing flames.



Model	BTU'S (Input)	Venting	Height		Front Width		Depth	
			Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GDI44	10,000 - 40,000	Direct	27 1/4"	21"	43 7/8"	32"	20 3/4"	16"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDI44	Ceramic	22 1/2"	36 1/4"	61.4%	-	69%	Standard	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33



Shown with new cast iron surround with a true artisan design and fully operating doors

Shown with deluxe flashing kit and painted black louvres

GI3600 - Economical & Versatile

Here's the secret to a warmer, cozier home! Replace your drafty old fireplace with this beautiful Napoleon insert. The GI3600 is especially designed to fit smaller wood burning, zero clearance fireplaces. Create the exact designer touch with optional choices including bay fronts, flashing kits and cast iron surrounds in various finishes.



Model	BTU'S (Input)	Venting	Height		Front Width		Depth	
			Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GI3600	16,000 - 24,000	Natural	21"	17 1/2"	30 1/8"	25 1/2"	17 1/2"	16 1/2"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GI3600	Ceramic	11 3/4"	29 3/4"	57.5%	-	76%	Standard	Yes

Certified and tested to both Z21.86, Z21.88, CSA 2.33 standards

Decorative Accessories

Louvres



Painted black
Upper and lower louvres



24 karat gold plated
Upper and lower louvres



Antique brass finish
Lower louvres only



Polished brass finish
Lower louvres only



Brushed stainless steel finish
Lower louvres only



All finishes available on bay fronts as well

Bay Door Assembly




Deluxe Flashing Kits

Available in 6" and 9"



Polished brass



Painted black



Brushed stainless steel



Porcelain green



Porcelain almond



Antique brass



Porcelain black



Bevelled flashing in textured black



Trim

Black

Decorative Panels



Sandstone brick panels



Black radiant porcelain reflective panels echo flames throughout the firebox

Cast Iron Surround



Painted Black



Porcelain



Porcelain black

Majolica brown



Painted black decorative 1 piece

Andirons



24 karat gold plated and painted black

Andirons available only with bay front

Remote Control



Decorative Accessories


Louvres



Painted black
Upper and lower louvres



24 karat gold plated
Upper and lower louvres



Antique brass finish
Lower louvres only



Polished brass finish
Lower louvres only



Brushed stainless
steel finish
Lower louvres only

All finishes available
on bay fronts as well

Ornamental Insets



Heritage 24 karat
gold plated



Heritage painted
black finish

Bay Front

See price list for details.

Deluxe Flashing Kits

Available in 6" and 9"



Polished
brass



Painted
black



Brushed
stainless steel



Porcelain
green



Porcelain
almond



Antique
brass



Porcelain
black



Bevelled
flashing in
textured black



Black

Decorative Panels



Sandstone
brick
panels



Black radiant
porcelain reflective
panels echo flames
throughout the
firebox

Cast Iron Surround



Painted Black



Porcelain
Majolica brown



Porcelain black



Painted black
decorative 1 piece

Andirons



24 karat
gold plated
and painted
black

Andirons available
only with bay front

Remote Control



Shown with fully operating doors,
black flashing and outer trim



Shown with flush mount front with almond flashing,
black upper and stainless steel lower louvres

Shown with new cast iron surround with a true artisan design and fully operating doors

GI3016 - Imagine The Difference

Keep the home fires burning with Napoleon's GI3016! Transform your inefficient existing masonry or zero clearance fireplace into a reliable and economical heat source. Available with a bay or flush mount front, this fireplace insert has well over 150 designer options to suit your personal needs and taste! An excellent choice for comfort and style.



Model	BTU'S (Input)	Venting	Height		Front Width		Depth	
			Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GI3016	20,000 - 30,000	Natural	20 5/8"	21"	30 1/4"	26 1/2"	19"	17 1/2"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GI3016	Ceramic	13"	29 3/4"	49.4%	64%	76%	Standard	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33

Napoleon's Advanced Insert Technology

Natural Vent

Gas flue outlet exhausts combusted air

24" heat exchanger for maximum heat output featuring heavy gauge steel




Dilution hood helps eliminate down drafts

Glowing PHAZER® logs for a realistic wood burning look

Heated room air out through efficient blower system

Double steel wall construction on 5 sides for optimum heat retention and efficiency

Radiant heat flows into the room even when the blower is not on for maximum efficiency



Direct vent technology draws outside air for combustion into the firebox chamber then exhausts through a separate vent. Both vents are installed into your existing chimney.

Variable speed fan provides maximum comfort & efficiency to help circulate room air

High heat ceramic glass for ultimate safety and heat transfer

Cool room air in

Dual level stainless steel burner for years of trouble free use and your peace of mind

No Comparison - Replace Your Drafty, Inefficient Fireplace with A Napoleon® Gas Insert

1. Select appropriate insert that fits your requirements
2. Choose your trim
3. Select your decorative trim surround
4. Exhaust/intake installed by your dealer



Installed into an existing masonry fireplace




Installed into an existing 0" clearance fireplace






Gas Insert Dimensions

Measuring For Your Insert






Model




GDI30






GDI2C






GDI44



GI3600



GI3016



Outstanding Features of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.



Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD™ gas control system.




True Masonry Details

Napoleon's ceramic brick panels with true masonry texture and mortar details, help transfer additional heat, radiating out from the firebox.



Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon® fireplaces... individually handcrafted with pride of excellence.



Superior Heat Resistant Glass

Ceramic glass is made to withstand high temperatures and thermoshock, allowing maximum radiant heat performance & safety.



WHISPER QUIET™ Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.



Convenient Remote Control

Napoleon's on/off or thermostatic control remotes with digital read out, give you the comfort level you need.


Legend	
	Advanced Burner System YELLOW DANCING FLAME®
	Heat Circulating Blower (Standard with all insert units)
	Optional Digital Remote Control
	No Electricity Required to Light or Operate
	Money Saving
	Radiant Heat

Experience Napoleon's impressive product selection online



Please visit our website for more information on our complete line of wood, gas, oil and electric fireplaces, stoves and inserts as well as the Napoleon® Waterfall collection. Click "Where to Buy" to find the dealer nearest you.

We also have a complete line of outdoor living products including outdoor gas fireplaces, patio heaters, an outdoor gas firepit and gourmet gas grills.




Other Napoleon® Products



Wood Burning Stoves



Outdoor Living Products



Woodburning Fireplaces



Cast Iron Gas Stoves



High Efficiency Gas Stoves



Direct Vent Fireplaces



Electric Fireplaces



Waterfalls



Gourmet Gas Grills

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon® is a registered trademark of Wolf Steel Ltd. Patent U.S. 5,307,801, 75054-Can. 2,073,411, 2,082,915, 74589 © Wolf Steel Ltd. Patents Pending. **EnerGuide** - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. **AFUE** - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. **Steady State** - Reflects the highest possible overall heating efficiency.



• 103 Miller Drive, Crittenden, Kentucky, USA 41030
 • 24 Napoleon Road, Barrie, Ontario, Canada L4M 4Y8
 • 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031

www.napoleonfireplaces.com
 www.fireplacedesignstudio.com

