

Safety Data Sheet

One Match Fire Starter Gel

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: One Match Fire Starter Gel

SDS Number: 12

Product Code: 48, 49, 49Q, 49W

Revision Date: 5/6/2019

Version:

Chemical Family: Gelled alcohols

Product Description: Gelled Alcohol Fire Starter

Product Use: Fire starter

Supplier Details: Rutland Products

7 Crabtree Road Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller

Phone: 217-245-7810 **Fax:** 217-245-1194

Email: faith@rutland.com bmiller@rutland.com

Web: www.rutland.com

Emergency: CHEMTREC (800) 424-9300

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 3

Health, Serious Eye Damage/Eye Irritation, 2 A

Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:

2





GHS Hazard Statements:

H226 - Flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 - Wash skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CONTROL CENTER (800-122-2222), physician or emergency room if you feel unwell.

P337 + P313 - If eye irritation persists: Get medical advice/ attention.

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS



Safety Data Sheet

One Match Fire Starter Gel

Route of Entry: Eyes; Ingestion; Skin;

Skin Contact: May cause irritation.

Eye Contact: May cause irritation.

Ingestion: May be harmful if swallowed.

3 COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Chemical Ingredients: % Chemical Name:
64-17-5	Ethanol or Ethyl alcohol or Ethano solutions or Ethyl alcohol solutions 2-Propanol
9004-65-3	Cellulose, 2-hydroxypropyl methyl ether

Percentages withheld, Trade Secret.

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

Skin Contact: Wash with plenty of water. Get medical attention if irritation develops or persists.

Eye Contact: Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at

least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to

mechanical action.

Ingestion: If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and

transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

5 FIRE FIGHTING MEASURES

Flammability: Flammable
Flash Point: 15.6 C (60 F)
Flash Point Method: Closed cup
Burning Rate: Not Available
Autoignition Temp: Not Available
LEL: Not Available
UEL: Not Available

Dry powder, foam, carbon dioxide. Wear self contained breathing apparatus and other protective clothing.

6 ACCIDENTAL RELEASE MEASURES

Absorb spilled material and place in appropriate container for disposal.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes and skin. Use in a well-ventilated area. Avoid inhalation of vapors and mists.

Keep away from sources of ignition.

Storage Requirements: Keep container closed to prevent drying out. Keep away from heat, sparks, and flames. NO SMOKING.

Store in a cool, well ventilated area. Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures as low as

possible.

SDS Number: 12 Page: 2 / 4 Revision Date: 5/6/2019



Safety Data Sheet

One Match Fire Starter Gel

Personal Protective Equipment:

Exhaust ventilation; In poorly ventilated areas you must wear a supplied air respirator. Usage of safety glasses/ goggles is recommended. Wear protective clothing, including long sleeves and gloves, to

prevent skin contact.

PHYSICAL AND CHEMICAL PROPERTIES 9

Translucent Gel Appearance:

Physical State: Liquid Odor: Alcohol **Odor Threshold:** Not Available Not Available Molecular Formula: Particle Size: Not Available Solubility: Not Available Spec Grav./Density: 0.94/7.9 **Softening Point:** Not Available Viscosity: 140000 - 170000 cps **Percent Volatile:** Not Available **Saturated Vapor Heat Value:** Not Available

Concentration:

Boiling Point:

Not Available

Not Available Freezing/Melting Pt.: Not Available

Flammability: Flammable **Flash Point:** 15.6 C (60 F) (Closed Cup)

Partition Coefficient: Not Available Octanol: Not Available Vapor Pressure: Not Available Vapor Density: Not Available pH: Not Available VOC: Not Available Not Available **Bulk Density:** 7.9 lbs/gal Evap. Rate: Molecular weight: Not Available **Auto-Ignition Temp:** Not Available **Decomp Temp:** Not Available UFL/LFL: Not Available

STABILITY AND REACTIVITY 10

Reactivity: No dangerous reactions known under normal conditions of use

Chemical Stability: Product is stable under normal conditions. **Conditions to Avoid:** Heat, Flame or other sources of ignition

Materials to Avoid: Strong Oxidizing Agents

Hazardous Decomposition: Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

Hazardous Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION 11

No data available.

12 **ECOLOGICAL INFORMATION**

No information available

DISPOSAL CONSIDERATIONS 13

Dispose of in accordance with local, state and federal regulations.

TRANSPORT INFORMATION 14

UN1170, PGII, (Ethanol Solutions)

Classified LQ (ORM-D)

15 REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions (64-17-5) MASS, OSHAWAC, PA, TSCA, TXAIR

SDS Number: 12 Page: 3/4 Revision Date: 5/6/2019



no Motob Fire Starter Col

2-Propanol (67-63-0) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TXAIR

Cellulose, 2-hydroxypropyl methyl ether (9004-65-3) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

NRC = Nationally Recognized Carcinogens

SARA313 = SARA 313 Title III Toxic Chemicals

16

OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 5/6/2019

SDS Number: 12 Page: 4 / 4 Revision Date: 5/6/2019